Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	117	temperature with authenticat\$3 and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 18:24
L4	19	temperature near3 authenticat\$3 and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 18:28
L5	0	"body temperature" near3 authenticat\$3 and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 18:28
L6	1	"body temperature" with authenticat\$3 and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 18:35
L7	4	"body temperature" same authenticat\$3 and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 19:08
L8	111	380/258.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 19:09
L9	0	8 and "body temprature" with authenticat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 19:09
L10	0	358/229.ccls. and "body temprature" with authenticat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 19:10
L11	0	358/342.ccls. and "body temprature" with authenticat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 19:10
L12	0	358/701.ccls. and "body temprature" with authenticat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 19:10

L13	0	705/67.ccls. and "body temprature" with authenticat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 19:11
L14	. 286	705/67.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 19:11
S1	2	"6141436".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 09:13
S2	2	"6111977".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 09:15
S3	2	"6100811".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 09:16
S4	1	(avionic\$2 or aircraft\$2) with ("heart rate" or "heart beat" or beat or "physical distress" or (distress near3 sensor) or (distress near3 test\$3)) with alert and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 09:26
S5	0	(fingerprint or "finger print" or biometric) with ("heart rate" or "heart beat" or beat or "physical distress" or (distress near3 sensor) or (distress near3 test\$3)) with alert and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 09:25
S6	87	(avionic\$2 or aircraft\$2 or (plain near3 (computer or device))) with ("heart rate" or "heart beat" or beat or "physical distress" or (distress near3 sensor) or (distress near3 test\$3)) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 09:28
S7	6	(avionic\$2 or aircraft\$2 or (plain near3 (computer or device))) with ("heart rate" or "heart beat" or "physical distress" or (distress near3 sensor) or (distress near3 test\$3)) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 09:35

S8	0	((avionic\$2 or aircraft\$2 or (plain near3 (computer or device))) with ("heart rate" or "heart beat" or "physical distress" or (distress near3 sensor) or (distress near3 test\$3))) and (fingerprint or "finger print" or biometric) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 12:52
S9	0	((avionic\$2 or aircraft\$2 or (plain near3 (computer or device))) with (fingerprint or "finger print" or biometric)) with alarm and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 12:53
S10	5	((avionic\$2 or aircraft\$2 or (plain near3 (computer or device))) with (fingerprint or "finger print" or biometric)) and alarm and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 12:56
S11	0	((avionic\$2 or aircraft\$2 or (plain near3 (computer or device))) with (fingerprint or "finger print" or biometric)) same alarm and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 12:53
S12	1	((pilot) with (fingerprint or "finger print" or biometric)) and alarm and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 12:59
S13	0	"pilot authentication" with (fingerprint or "finger print" or biometric\$1 or pupil or iris) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 13:02
S14	0	"pilot authentication" same (fingerprint or "finger print" or biometric\$1 or pupil or iris) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 13:02
S15	0	"pilot authentication" and (fingerprint or "finger print" or biometric\$1 or pupil or iris) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 13:03
S16	0	"pilot authentication" and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 13:03
S17	93	pilot with(fingerprint or "finger print" or biometric\$1 or pupil or iris) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:32

S18	93	pilot with (fingerprint or "finger print" or biometric\$1 or pupil or iris) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 13:04
S19	0	(pilot with (fingerprint or "finger print" or biometric\$1 or pupil or iris)) with (alert\$3 or notif\$5 or email\$3 or (error near2 messag\$3)) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 13:06
S20	0	(pilot with (fingerprint or "finger print" or biometric\$1 or pupil or iris)) same (alert\$3 or notif\$5 or email\$3 or (error near2 messag\$3)) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 13:06
S21	7	(pilot with (fingerprint or "finger print" or biometric\$1 or pupil or iris)) and (alert\$3 or notif\$5 or email\$3 or (error near2 messag\$3)) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 13:46
S23	0	(pilot with (fingerprint or "finger print" or biometric\$1 or pupil or iris)) and (alert\$3 or notif\$5 or email\$3 or (error near2 messag\$3)) and ("base station" or "base unit") and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 13:57
S24	1010	(pilot or(avionic\$2 or aircraft\$2 or (plain near3 (computer or device))) with (fingerprint or "finger print" or biometric\$1 or pupil or iris)) and (alert\$3 or notif\$5 or email\$3 or (error near2 messag\$3)) and ("base station" or "base unit") and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 13:59
S25	0	((pilot or(avionic\$2 or aircraft\$2 or (plain near3 (computer or device)))) with (fingerprint or "finger print" or biometric\$1 or pupil or iris)) with (alert\$3 or notif\$5 or email\$3 or (error near2 messag\$3)) and ("base station" or "base unit") and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 14:01
S26	0	((pilot or(avionic\$2 or aircraft\$2 or (plain near3 (computer or device)))) with (fingerprint or "finger print" or biometric\$1 or pupil or iris)) same (alert\$3 or notif\$5 or email\$3 or (error near2 messag\$3)) and ("base station" or "base unit") and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 14:01
S27	1	((pilot or(avionic\$2 or aircraft\$2 or (plain near3 (computer or device)))) with (fingerprint or "finger print" or biometric\$1 or pupil or iris)) same (alert\$3 or notif\$5 or email\$3 or (error near2 messag\$3)) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 14:02

			,	· · · · · · · · · · · · · · · · · · ·		
S28	0	((pilot or(avionic\$2 or aircraft\$2 or (plain near3 (computer or device)))) with (fingerprint or "finger print" or biometric\$1 or pupil or iris)) and (alert\$3 or notif\$5 or email\$3 or (error near2 messag\$3)) and ("base station" or "base unit") and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 14:04
S29	26	((pilot or(avionic\$2 or aircraft\$2 or computer or (plain near3 (computer or device)))) with (fingerprint or "finger print" or biometric\$1 or pupil or iris)) and (alert\$3 or notif\$5 or email\$3 or (error near2 messag\$3)) and ("base station" or "base unit") and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 14:06
S30	3	((pilot or(avionic\$2 or aircraft\$2 or (plain near3 (computer or device)))) same (fingerprint or "finger print" or biometric\$1 or pupil or iris)) and (alert\$3 or notif\$5 or email\$3 or (error near2 messag\$3)) and ("base station" or "base unit") and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 14:06
S31	0	(pilot with(fingerprint or "finger print" or biometric\$1 or pupil or iris)) with (alert\$ or notif\$4 or email\$3) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 14:11
S32	0	(pilot with(fingerprint or "finger print" or biometric\$1 or pupil or iris)) with ("base unit" or "base station") and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 14:14
S33	14	(authenticat\$3 with pilot) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 14:14
S34	1	(authenticat\$3 with pilot) with fingerprint and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 14:15
S35	1	(authenticat\$3 with pilot) same fingerprint and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 14:15
S36	3	(authenticat\$3 with pilot) and fingerprint and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 14:17

S37	2	(authenticat\$3 with pilot) and "finger print" and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 14:17
S38	2	(authenticat\$3 with pilot) and biometric\$1 and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 14:18
S39	0	(authenticat\$3 with pilot) and (iris or pupil\$1) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 14:18
S40	6	(pilot with(fingerprint or "finger print" or biometric\$1 or pupil or iris)) and ("base unit" or "base station") and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:35
S41	831	(flight or aircraft with (fingerprint or "finger print" or biometric\$1 or pupil or iris)) and ("base unit" or "base station") and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 16:51
S42	391	(aircraft or flight or airplane) with ("base unit" or "base station") and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 16:52
S43	0	(aircraft or flight or airplane) with ("base unit" or "base station") with (fingerprint or "finger print" or biometric) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 16:53
S44	0	(aircraft or flight or airplane) with ("base unit" or "base station") with (fingerprint or "finger print" or biometrics) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 16:53
S45	0	(aircraft or flight or airplane) with ("base unit" or "base station") same (fingerprint or "finger print" or biometric) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 16:54
S46	1	(aircraft or flight or airplane) with ("base unit" or "base station") and (fingerprint or "finger print" or biometric) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 16:57

S47	. 5	(aircraft or flight or airplane) same ("base unit" or "base station") and (fingerprint or "finger print" or biometric) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 17:04
S48	42	(aircraft or flight or airplane) and ("base unit" or "base station") and (fingerprint or "finger print" or biometric) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 17:05
S49	0	(aircraft or flight or airplane) and (("base unit" or "base station") with (alert\$3 or notif\$3 or email\$3)) and (fingerprint or "finger print" or biometric) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 17:06
S50	0	(aircraft or flight or airplane) and (("base unit" or "base station") with updat\$3) and ((add or delet\$4) with (fingerprint or "finger print" or biometric)) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 17:08
S51	2	(aircraft or flight or airplane) and ("base unit" or "base station") and ((add or delet\$4) with (fingerprint or "finger print" or biometric)) and @ad < "20011006"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 18:23